Publications related to ACCORD E4

Design, method and method validation:

- Acceptability guidelines/approaches
 - Carmines, E.L., Evaluation of the potential effects of ingredients added to cigarettes. Part 1: Cigarette design, testing approach, and review of results. Food Chem. Toxicol. 40(1): 77-91 (2002)
 - Carchman, R., Identification of 'animal or organism-based' short-term tests which are available for the assessment of the potentially harmful properties of tobacco smoke, Report of Canada's Expert Committee on Ciagrette Toxicity Reduction: Appendix: Invited Papers, p41 (1998) PROTOTYPE
 - Patskan, G.; Hsu, F. Meisgen, T.; Stabbert, R.; Vanscheeuwlick, P.; Veltel, D., Toxicological characterization of a novel cigarette paper, Toxicol, Sci. 54(1): 398 (2000)
- Harm reduction guidelines/approaches

Poster (IUTOX, CORESTA)-Parshoun

- Identification of targets for harm reduction
 - Haussmann, H.-J.; Rustemeier, K.; Elves, R.G., The use of risk analysis in selecting cigarette smoke constituents for reduction, 2001 Society for Risk Analysis Annual Meeting, Seattle, USA, 02-Dec-2001; 05-Dec-2001
- Smoke chemistry, mainstream constituents
 - Rustemeier, K.: Stabbert, R.: Haussmann, H.-J.: Roemer, E.: Carmines, E.L.. Evaluation of the potential effects of ingredients added to cigarettes. Part 2: Chemical composition of mainstream smoke, Food Chem, Toxicol, 40(1): 93-104 (2002)
 - Stabbert, R.: Schaefer, K.-H.: Biefel, C.: Rustemeier, K., Analysis of aromatic amines in cigarette smoke, Tobacco Science Research Conference, Greensboro, North Carolina, USA, 09-Sep-2001; 12-Sep-2001 **PROTOTYPE**
 - Diekmann, J.; Biefel, C.; Stabbert, R.; Rustemeier, K., Analysis of unsymdimethylhydrazine in cigarette smoke, Tobacco Science Research Conference, Greensboro, North Carolina, USA, 09-Sep-2001; 12-Sep-2001
 - Demetriou, D.; Schepers, G., Determination of benzo(a)pyrene (B(a)P) in complex matrix by multi-dimensional high-performance liquid chromatography, 53rd Tobacco Science Research Conference, C-Montreal, 12-Sep-1999; 15-Sep-1999
 - Rustemeier, K., Piade, J.-J., Determination of nicotine in mainstream smoke, In: Gorrod, J.W.; Jacob, P. (Eds.): Analytical determination of nicotine and related compounds and their metabolites, Amsterdam: Flsevier Science: Chapter 12, pp. 489-529 (1999).
- Smoke chemistry, sidestream constituents
- Smoke chemistry, ETS constituents
 - Gerstenberg, B.; Stinn, W.; Reininghaus, W., Comparison of environmental tobacco smoke from an electrically heated and a conventional cigarette, Toxicol. Sci. 60(1): 431 (2001)

ACCORD

Gerstenberg, B.; Stinn, W.; Reininghaus, W., Comparison of environmental tobacco smoke from an electrically heated and a conventional ciagrette, Tobacco Science Research Conference, USA-Nashville, 24-Sep-2000;27-Sep-2000

ACCORD

PM3006531162

(Jefske by + Soul)

CO biomarker(s)

- Vanscheeuwijck, P.; Teredesai, A.; Terpstra, P.M.; Verbeeck, J.; Kuhl, P.; Gerstenberg, B.; Gebel, S.; Carmines, E.L., Evaluation of the potential effects of ingredients added to cigarettes. Part 4: Subchronic inhalation toxicity, Food Chem. Toxicol. 40(1): 113-131 (2002)
- 1,3-Butadiene biomarker(s)

Other biomarkers

- Roethig, H.J.; von Holt, K.; Kuhl, P.; McKinney, W.; Zhang, M.; Walk, R.-A., Biomarkers of potential harm in smokers, Biomarkers for Tobacco Exposure: Application to Clinical and Epidemiological Studies, Minneapolis, USA, 25-Oct-2001: 26-Oct-2001
- Kinser, R.D.; Oey, J., Examples of systemic validation for biomarkers of cigarette smoke exposure, Biomarkers for Tobacco Exposure: Application to Clinical and Epidemiological Studies, Minneapolis, USA, 25-Oct-2001; 26-Oct-2001
- Kinser, R.D.; Carchman, R.A.; Leyden, D.E.; Sanders, E.B.; Stabbert, R.;
 Tricker, A.R.; von Holt, K.; Walk, R.-A., Selection of biomarkers of exposure for a
 population study of U.S. adult smokers to cigarette smoke, Biomarkers for
 Tobacco Exposure: Application to Clinical and Epidemiological Studies,
 Minneapolis, USA, 25-Oct-2001; 26-Oct-2001
- Kinser, R.D.; Carchman, R.A.; Leyden, D.E.; Sanders, E.B.; Stabbert, R.;
 Tricker, A.R.; von Holt, K.; Walk, R.-A., Selection of biomarkers of exposure for a population study of U.S. adult smokers to cigarette smoke, Toxicology 164: P1A2, 41 (2001)

Nicotine biomarkers

Hamiscipt: Pilot shedy; variablety, close

- Vanscheeuwijck, P.; Teredesai, A.; Terpstra, P.M.; Verbeeck, J.; Kuhl, P.; Gerstenberg, B.; Gebel, S.; Carmines, E.L., Evaluation of the potential effects of ingredients added to cigarettes. Part 4: Subchronic inhalation toxicity, Food Chem. Toxicol. 40(1): 113-131 (2002)
- Demetriou, D.; Schepers, G., Determination of nicotine and its metabolites in urine by HPLC after DETBA derivatization, Biomarkers for Tobacco Exposure: Application to Clinical and Epidemiological Studies, Minneapolis, USA, 25-Oct-2001; 26-Oct-2001
- Schepers, G.; Demetriou, D.; Stabbert, R.; Diehl, B.; Seeman, J.I., 5'-Hydroxycotinine-N-oxide, a new nicotine metabolite isolated from rat urine, Xenobiotica 29 (8): 793-801 (1999)
- Gorrod, J.W.; Schepers, G., Biotransformation of nicotine and related compounds, In: Gorrod, J.W.; Jacob, P. (Eds.): Analytical determination of nicotine and related compounds and their metabolites, Amsterdam: Elsevier Science, Chapter 3, pp. 45-67, 1999
- Schepers, G.; Demetriou, D.; Stabbert, R.; Diehl, B., Isolation and identification of nicotine phase 2 metabolites from smoker's urine, Second Annual Conference, the Society for Research on Nicotine and Tobacco, USA-Washington, 15-Mar-1996; 17-Mar-1996

Cytotoxicity

Roemer, E.; Tewes, F.J.; Meisgen, T.J.; Veltel, D.J.; Carmines, E.L., Evaluation
of the potential effects of ingredients added to cigarettes. Part 3: In vitro
genotoxicity and cytotoxicity, Food Chem. Toxicol. 40(1): 105-111 (2002)

Mamisent for cyntox. claim batis

Genotoxicity

- Schramke, H.; Tewes, F.J.; Roemer, E., Using the mouse lymphoma TK assay to compare the mutagenicity of mainstream smoke condensate from research cigarettes, 41th Annual Meeting of the Society of Toxicology, March 17-21, 2002, Nashville, USA
- Vanscheeuwijck, P.; van Miert, E.; Meurrens, K.; Terpstra, P.M., The micronucleus assay for the determination of cigarette mainstream smoke activity in bone marrow and peripheral blood of rats, Toxicol. Sci. 60(1): 431 (2001)
- Roemer, E.; Tewes, F.J.; Meisgen, T.J.; Veltel, D.J.; Carmines, E.L., Evaluation
 of the potential effects of ingredients added to cigarettes. Part 3: In vitro
 genotoxicity and cytotoxicity, Food Chem. Toxicol, 40(1): 105-111 (2002)
- Tewes, F.J.; Meisgen, T.J.; Gomm, W.A.; Roemer, E.; Carchman, R.A., Cigarette parameters that influence the mutagenicity of mainstream smoke condensate, Toxicol. Sci. 48 (1-S) (1999)
- Roemer, E.; Meisgen, T.J.; Tewes, F.J.; Solana, R.P., Discrimination of cigarette mainstream smoke condensates with the Salmonella reverse mutation assay, Toxicol. Sci. 42(1-S): 295 (1998)

• 90-Day rat inhalation

- Vanscheeuwijck, P.; Teredesai, A.; Terpstra, P.M.; Verbeeck, J.; Kuhl, P.; Gerstenberg, B.; Gebel, S.; Carmines, E.L., Evaluation of the potential effects of ingredients added to cigarettes. Part 4: Subchronic inhalation toxicity, Food Chem. Toxicol. 40(1): 113-131 (2002)
- Kaegler, M.;. Anskeit, E.; Teredesai, A.; Vanscheeuwijck, P.; Terpstra, P., Suitability of different exposure regimens in subchronic inhalation studies with cigarette smoke, Toxicol. Sci. 60(1): 431 (2001)
- Kaegler, M.; Teredesai, A.; Vanscheeuwijck, P.; Terpstra, P.; Gerstenberg,
 B., Comparison of two exposure regimens in rat subchronic inhalation studies with cigarette smoke, Toxicol. Sci. 54(1): 17 (2000)
- Roemer, E.; Teredesai, A.; Terpstra, P.; Vanscheeuwijck, P.M.; Haussmann, H.-J., The discriminative power of rat inhalation studies investigating the irritative property of inhalants, Validity of Animal Models of Human Respiratory Diseases, USA-Santa Fe. 30-Sep-1998; 2-Oct-1998

Smoking topography

- Walk, R.-A.; Carter, W.H.; Carchman, R.A.; Gear, J.C.; Gomm, W.; Gennings, C.; Kinser, R.D.; Leyden, D.E.; Nelson, B.L.; Tricker, A.R.; von Holt, K., Design for a population study of exposure of U.S. adult smokers to cigarette smoke, Toxicology 164: P1A3, 41 (2001)
- Walk, R.-A.; Carter, W.H.; Carchman, R.A.; Gear, J.C.; Gomm, W.; Gennings, C.; Kinser, R.D.; Leyden, D.E.; Nelson, B.L.; Tricker, A.R.; von Holt, K., Design for a population study of exposure of U.S. adult smokers to cigarette smoke, Biomarkers for Tobacco Exposure: Application to Clinical and Epidemiological Studies, Minneapolis, USA, 25-Oct-2001; 26-Oct-2001
- Kinser, R.D.; Çarchman, R.A.; Leyden, D.E.; Sanders, E.B.; Stabbert, R.; Tricker, A.R.; von Holt, K.; Walk, R.-A., Selection of biomarkers of exposure for a population study of U.S. adult smokers to cigarette smoke, Toxicology 164: P1A2, 41
- Kinser, R.D.; Carchman, R.A.; Leyden, D.E.; Sanders, E.B.; Stabbert, R.;
 Tricker, A.R.; von Holt, K.; Walk, R.-A., Selection of biomarkers of exposure for a
 population study of U.S. adult smokers to cigarette smoke, Biomarkers for
 Tobacco Exposure: Application to Clinical and Epidemiological Studies,
 Minneapolis, USA, 25-Oct-2001; 26-Oct-2001

Park

- Kinser, R.D.; Oey, J., Examples of systemic validation for biomarkers of cigarette smoke exposure, lomarkers for Tobacco Exposure: Application to Clinical and Epidemiological Studies, Minneapolis, USA, 25-Oct-2001; 26-Oct-2001
- · Questionnaires for human exposure/risk evaluation

Short-term confined clinical design

• Medium-term clinical design Take and : SANT or SOT porter ?

• Surveillance plan Poster
Publ. maniscapt

Data¹:

· Smoke chemistry, mainstream constituents

 Voncken, P.; Gerstenberg, B.; Rustemeier, K.; Stabbert, R.; Patskan, G.; Haussmann, H.-J., Chemical analysis of selected cigarette mainstream smoke constituents for comparative product integrity testing, 1998
 Tobacco Science Research Conference, USA-Atlanta, 13-Sep-1998; 16-Sep-1998

PROTOTYPE

- Terpstra, P.M.; Reininghaus, W.; Solana, R.P., Safety evaluation of an electrically heated cigarette, Toxicol. Sci. 42(1-S): 295 (1998)
- Terpstra, P.M.; Reininghaus, W., Chemical and biological evaluation of smoke from an electrically heated cigarette, 2nd Congress of Asian Society of Toxicology ASIATOX II, K-Cheju, 23-Aug-00; 25-Aug-00 PROTOTYPE
- Rustemeier, K.; Patskan, G.; Haussmann, H.-J., The influence of a modified puffing regimen on the yields of smoke constituents from electrically heated and conventional research cigarettes, The Toxicologist 54(1): 16 (2000)

PROTOTYPE

- Stabbert, R.; Schaefer, K.-H.; Biefel, C.; Rustemeier, K., Analysis of aromatic amines in cigarette smoke, Tobacco Science Research Conference, Greensboro, North Carolina, USA, 09-Sep-2001; 12-Sep-2001 PROTOTYPE
- Stabbert, R.; Voncken, P.; Rustemeier, K.; Haussmann, H.-J.; Roemer, E.; Schaffernicht, H.; Patskan, G., Toxicological evaluation of an electrically heated cigarette. Part 2; Chemical composition of mainstream smoke (to be re-submitted)

PROTOTYPE

 Roemer, E.; Vanscheeuwijck, P.; Elves, R.G.; Fournier, J., Ammonium magnesium phosphate in the paper wrapper of an electrically heated cigarette reduces the biological activity of the resulting smoke, 41th Annual Meeting of the Society of Toxicology, USA-Nashville, 17-Mar-2002; 21-Mar-2002

PROTOTYPE

Smoke chemistry, ETS constituents

• Gerstenberg, B.; Stinn, W.; Reininghaus, W., Comparison of environmental tobacco smoke from an electrically heated and a conventional

¹ Prototype (P) or market product (M)

cigarette, Toxicol, Sci. 60(1): 431 (2001) ACCORD

Gerstenberg, B.; Stinn, W.; Reininghaus, W., Comparison of environmental tobacco smoke from an electrically heated and a conventional cigarette, Tobacco Science Research Conference, USA-Nashville, 24-Sep-2000:27-Sep-2000

ACCORD

Manings (Lan + gersenbeg) Lau and Hirnickel, J.Exp.Anal.Envir.Epidemiol. - Richard: Title

Cytotoxicity

Terpstra, P.M.; Reininghaus, W.; Solana, R.P., Safety evaluation of an electrically heated cigarette, Toxicol. Sci. 42(1-S): 295 (1998)

- Terpstra, P.M.; Reininahaus, W., Chemical and biological evaluation of smoke from an electrically heated cigarette, 2nd Congress of Asian Society of Toxicology ASIATOX II, K-Cheiu, 23-Aug-00: 25-Aug-00 **PROTOTYPE**
- Tewes, F.J.; Meisgen, T.J.; Veltel, D.J.; Roemer, E.; Patskan, G., Toxicological evaluation of an electrically heated cigarette. Toxicological evaluation of an electrically heated cigarette. Part 3: Genotoxicity and cytotoxicity of mainstream smoke (to be re-submitted) **PROTOTYPE**
- Tewes, F.J.; Vettel, D.J.; Heil, M.; Solana, R.P., Discrimination of ciagrette mainstream smoke with the Neutral Red Uptake cytotoxicity assay, Toxicol. Sci. 42(1-S): 295 (1998)

PROTOTYPE

Roemer, E.; Vanscheeuwijck, P.; Elves, R.G.; Fournier, J., Ammonium magnesium phosphate in the paper wrapper of an electrically heated cigarette reduces the biological activity of the resulting smoke, 41th Annual Meeting of the Society of Toxicology, USA-Nashville, 17-Mar-2002; 21-Mar-2002

PROTOTYPE

Genotoxicity

- Terpstra, P.M.; Reininghaus, W.; Solana, R.P., Safety evaluation of an electrically heated cigarette, Toxicol. Sci. 42(1-S): 295 (1998) **PROTOTYPE**
- Terpstra, P.M.; Reininghaus, W., Chemical and biological evaluation of smoke from an electrically heated cigarette, 2nd Congress of Asian Society of Toxicology ASIATOX II, K-Cheju, 23-Aug-00; 25-Aug-00 **PROTOTYPE**
- Tewes, F.J.; Meisgen, T.J.; Veltel, D.J.; Roemer, E.; Patskan, G., Toxicological evaluation of an electrically heated cigarette. Toxicological evaluation of an electrically heated cigarette. Part 3: Genotoxicity and cytotoxicity of mainstream smoke (to be re-submitted)

PROTOTYPE

- Roemer, E.; Meisgen, T.J.; Tewes, F.J.; Solana, R.P., Discrimination of cigarette mainstream smoke condensates with the Salmonella reverse mutation assay, Toxicol. Sci. 42(1-S): 295 (1998) **PROTOTYPE**
- Roemer, E.; Vanscheeuwijck, P.; Elves, R.G.; Fournier, J., Ammonium magnesium phosphate in the paper wrapper of an electrically heated

2/25/2002

cigarette reduces the biological activity of the resulting smoke, 41th Annual Meeting of the Society of Toxicology, USA-Nashville, 17-Mar-2002; 21-Mar-2002

PROTOTYPE



- 90-Day rat inhalation
 - Terpstra, P.M.; Reininghaus, W.; Solana, R.P., Safety evaluation of an electrically heated cigarette, Toxicol. Sci. 42(1-S): 295 (1998)
 PROTOTYPE
 - Vanscheeuwijck, P.M.; Anskeit, E.A.; Teredesai, A.; Solana, R.P., Equi-effect design for subchronic inhalation toxicity studies comparing conventional and novel cigarette prototypes, Toxicol. Sci. 42(1-S): 295 (1998)
 PROTOTYPE
 - Terpstra, P.M.; Reininghaus, W., Chemical and biological evaluation of smoke from an electrically heated cigarette, 2nd Congress of Asian Society of Toxicology ASIATOX II, K-Cheju, 23-Aug-00; 25-Aug-00 PROTOTYPE
 - Terpstra, P.M.; Teredesai, A.; Vanscheeuwljck, P.M.; Verbeeck, J.; Schepers, G.; Radtke, F.; Kuhl, P.; Gomm, W.; Anskeit, E.; Patskan, G., Toxicological evaluation of an electrically heated cigarette. Part 4: Subchronic inhalation toxicology (to be re-submitted)
 PROTOTYPE
 - Roemer, E.; Vanscheeuwijck, P.; Elves, R.G.; Fournier, J., Ammonium magnesium phosphate in the paper wrapper of an electrically heated cigarette reduces the biological activity of the resulting smoke, 41th Annual Meeting of the Society of Toxicology, USA-Nashville, 17-Mar-2002; 21-Mar-2002
 - PROTOTYPE
- Smoking topography

Poster

- · Short-term confined clinical study
 - Am.Coll.Clin. Pharm. Sep. 2002 (poster)
 Roethig et al. (exposure and effects, Sep. 2002)
 NN (Ames, Dec. 2002)
- Medium-term clinical study